

GLASS FABRICATION - KD60 & KD72

HOSPITALITY DIVISION

eurotech

LUXURY SHOWER DOORS

## MONTAGE


**EUROGLIDE FRAMELESS SINGLE SLIDING SHOWER DOOR**



### **Eurotech Showers**

Hospitality Division  
23532 Commerce Center Dr.,  
Building B  
Laguna Hills, CA 92653  
949-716-4099  
[eurotechshowershospitality.com](http://eurotechshowershospitality.com)

## Glass Fabrication - Door



### Glass Width Formula

overall width divided by 2 plus 2" equals door width

### Overall Width

70" divided by 2 = 35"  
 35" plus 2" = 37"  
 37" Door Width

### Glass Height Formula

overall height minus 3/8" equals door height

### Example For 76" Overall Height

76" minus 3/8" = 75-5/8"  
 75-5/8" Door Height

- Model: Montage KD60 & KD72
- Glass Thickness for KD60: 10mm (3/8")
- Glass Thickness for KD72: 10mm (3/8") or 12mm (1/2")
- Maximum Door Width: 39"
- Maximum Door Height: 83-5/8"
- Maximum Door Weight: 100 lbs
- Edge work: Flat polish on all sides

# Glass Fabrication - Fixed Panel

## Glass Width Formula

overall width divided by 2  
minus 1/2" equals  
fixed panel width

## Example For 70" Overall Width


70" divided by 2 = 35"  
35" minus 1/2" = 34-1/2"  
34-1/2" Fixed Panel Width

## Glass Height Formula

overall height minus 1/4"  
equals fixed panel height

## Example For 76" Overall Height

76" minus 1/4" = 75 3/4"  
75-3/4" Fixed Panel Height



- Model: Montage KD60 & KD72
- Glass Thickness for KD60: 10mm (3/8")
- Glass Thickness for KD72: 10mm (3/8") or 12mm (1/2")
- Maximum Fixed Panel Height: 83-3/4"
- Edge work: Flat polish on all sides