


VITRA-200X

GLASS FABRICATION - KD60 & KD72



Glass Fabrication - Door

Glass Width Formula

overall width divided by 2
plus 5/8" equals
door width

Example For 70" Overall Width


70" divided by 2 = 35"
35" plus 5/8" = 35-5/8"
35-5/8" Door Width

Glass Height Formula

overall height minus 3/8"
equals door height

Example For 76" Overall Height

76" minus 3/8" = 75-5/8"
75-5/8" Door Height



- Model: Vitra-200X KD60 & KD72
- Quantity: 1 panel
- Glass Thickness for KD60: 10mm (3/8")
- Glass Thickness for KD72: 8mm (5/16") or 10mm (3/8")
- Maximum Door Width: 36"
- Maximum Door Height: 83-5/8"
- Maximum Door Weight: 84 lbs
- Edge work: Flat polish on all sides

Glass Fabrication - Door

Glass Width Formula

overall width divided by 2
plus 5/8" equals
door width

Example For 70" Overall Width


70" divided by 2 = 35"
35" plus 5/8" = 35-5/8"
35-5/8" Door Width

Glass Height Formula

overall height minus 3/8"
equals door height

Example For 76" Overall Height

76" minus 3/8" = 75-5/8"
75-5/8" Door Height



- Model: Vitra-200X KD60 & KD72
- Quantity: 1 panel
- Glass Thickness for KD60: 10mm (3/8")
- Glass Thickness for KD72: 8mm (5/16") or 10mm (3/8")
- Maximum Door Width: 36"
- Maximum Door Height: 83-5/8"
- Maximum Door Weight: 84 lbs
- Edge work: Flat polish on all sides